

STRENGTH AND BEAUTY COEXIST WITH A FLARE OF **INNOVATION**

Gr!tCER  
COLLECTION

GLAZED  
VITRIFIED  
TILES

600x1200mm  
9mm



# Fresh Innovation Backed By Expertise

Portocer Tiles is a trusted name in the ceramic tile industry, renowned for offering premium GVT/PGVT tiles that blend durability, elegance, and innovation. Combining industry knowledge and the latest innovation, we specialise in providing an extensive range of stylish designs and finishes, tailored to elevate spaces worldwide.

Our dedication to advanced technology and craftsmanship ensures each product meets the highest standards of quality and functionality. At Portocer, we take pride in delivering exceptional products that inspire timeless beauty and stand the test of time.

+91 90817 11150

## 35+ Surfaces

// 07 SIZES  
// 10 CATEGORIES

PolīCER  
COLLECTION

VantaCER  
COLLECTION

MattCER  
COLLECTION

FlickCER  
COLLECTION

SilkenCER  
COLLECTION

Gr!tCER  
COLLECTION

OmniCER  
COLLECTION

MatryCER  
COLLECTION

SoftCER  
COLLECTION

GalaCER  
COLLECTION

ShapeCER  
COLLECTION

GrípCER<sup>+</sup>  
COLLECTION

PORTOCER  
TILES






GLAZED  
VITRIFIED  
TILES

GritCER  
COLLECTION

Inspired by the permanence and timelessness of shifting sands, we present a range of tiles that capture their glistening beauty while offering you durable surfaces that promise safety and lasting use. These tiles are crafted with advanced technology for enhanced resistance to wear, scratches, and stains, making them an ideal choice for a variety of applications.

Crafted to withstand heavy use in high-traffic areas, these surfaces also offer an anti-skid surface to enhance safety. Available in a variety of surface options, these tiles are a preferred choice among architects and interior designers for creating aesthetically pleasing, safe spaces.





Stories that  
are etched  
in stone



The phrase "Italian Elegance" carries a history of art, sophistication, and refinement. It embodies the admiration for beauty and the ambition to create something better that not only awes but also inspires.

Taking this philosophy at heart, Portocer strives to deliver an extensive range of innovative surface solutions that celebrate the past, elevate the present, and set the tone for a better future. Every space carries stories, and we hope to celebrate each one.



GritCER Glid  
9mm



Enara  
Bianco

Enara  
Crema

Enara  
Grey


GritCER Echo Flow  
9mm



Loomix  
Brown

Loomix  
Ivory

GritCER Echo  
9mm



Earthborn  
Bianco

Earthborn  
Grey

Fermin  
Bianco

Fermin  
Grey

Fermin  
Nero

GritCER Flow  
9mm



Eos  
Armani Crema



GritCER  
9mm



Cassero Frost    Cassero Mud    Divine Bianco    Divine Caramel    Divine Grey    Divine Ivory



Earlin Bianco    Earlin Crema    Earlin Grey

 Tap on any tile  
To explore it





GLAZED  
VITRIFIED  
TILES



**GritCER**  
COLLECTION

**GritCER**  
**Glid** \_\_\_\_\_

Size: **600x1200mm**  
Surface: **GritCER Glid**  
Thickness: **9mm**

Celebrating the union of artistry and engineering, these tiles are an ode to the beauty of craftsmanship. Strong, durable surfaces enhanced with carved details offer irresistible allure that awes with every curve. These 9mm tiles are the epitome of safety, functionality, and aesthetics.

[www.portocertiles.com](http://www.portocertiles.com)





## Enara Bianco

Size: **600x1200mm**  
Surface: **Gr!tCER Glid**  
Thickness: **9mm**  
Random: **6**

←  
**Back to  
Index**

CLICK FOR  
VIRTUAL  
360°







## Enara Crema

Size: **600x1200mm**  
Surface: **Gr!tCER Glid**  
Thickness: **9mm**  
Random: **6**



Back to  
Index

CLICK FOR  
VIRTUAL  
360°







## Enara Grey

Size: **600x1200mm**  
Surface: **Gr!tCER Glid**  
Thickness: **9mm**  
Random: **6**



←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°





GLAZED  
VITRIFIED  
TILES



**GritCER**  
COLLECTION

GritCER  
Echo

Size: **600x1200mm**  
Surface: **GritCER Echo**  
Thickness: **9mm**

Prioritising safety and stability, while bringing you nature's allure, these aesthetic surfaces set the standards of beauty and functionality. Transforming your spaces with subtlety, light, and class, these surfaces offer long-lasting durability. These 9mm surfaces are the perfect fit for any space, with their versatile features and contemporary visuals.

[www.portocertiles.com](http://www.portocertiles.com)





## Earthborn Bianco

Size: **600x1200mm**  
Surface: **Gr!tCER Echo**  
Thickness: **9mm**  
Random: **4**

←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







## Earthborn Grey

Size: **600x1200mm**  
Surface: **Gr!tCER Echo**  
Thickness: **9mm**  
Random: **4**

 **Back to  
Index**

CLICK FOR  
VIRTUAL  
360°







## Fermin Bianco

Size: **600x1200mm**  
Surface: **Gr!tCER Echo**  
Thickness: **9mm**  
Random: **5**



**Back to  
Index**

CLICK FOR  
VIRTUAL  
360°







## Fermin Grey

Size: **600x1200mm**  
Surface: **Gr!tCER Echo**  
Thickness: **9mm**  
Random: **5**




←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







## Fermin Nero

Size: **600x1200mm**  
Surface: **Gr!tCER Echo**  
Thickness: **9mm**  
Random: **5**

←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







Loomix Brown

Size: **600x1200mm**  
Surface: **GritCER Echo Flow**  
Thickness: **9mm**  
Random: **4**

←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







Loomix Ivory

Size: **600x1200mm**  
Surface: **Gr!tCER Echo Flow**  
Thickness: **9mm**  
Random: **4**

←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°





GLAZED  
VITRIFIED  
TILES



**GritCER**  
COLLECTION

GritCER

Size: **600x1200mm**

Surface: **GritCER**

Thickness: **9mm**

Tap into the earthy beauty of surfaces crafted to endure heavy use while providing a sense of steadiness to your spaces. Create spaces that celebrate the allure of nature's elements while remaining resistant to wear and abrasion. These 9mm tiles are your best choice for creating stable, beautiful spaces.

[www.portocertiles.com](http://www.portocertiles.com)





## Eos Armani Crema

Size: **600x1200mm**  
Surface: **GritCER Flow**  
Thickness: **9mm**  
Random: **4**

**Also Available in**  
**600x1200mmx9mm - PoliCER Flow**

←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







Cassero Frost

Size: **600x1200mm**  
Surface: **Gr!tCER**  
Thickness: **9mm**  
Random: **5**




←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







## Cassero Mud

Size: **600x1200mm**  
Surface: **Gr!tCER**  
Thickness: **9mm**  
Random: **5**



Back to  
Index

CLICK FOR  
VIRTUAL  
360°







Divine Bianco


Size: **600x1200mm**  
Surface: **Gr!tCER**  
Thickness: **9mm**  
Random: **6**

←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







Divine Caramel


Size: **600x1200mm**  
Surface: **Gr!tCER**  
Thickness: **9mm**  
Random: **6**

←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







Divine Grey


Size: **600x1200mm**  
Surface: **Gr!tCER**  
Thickness: **9mm**  
Random: **6**

←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







## Divine Ivory

Size: **600x1200mm**  
Surface: **Gr!tCER**  
Thickness: **9mm**  
Random: **6**




←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







Earlin Bianco

Size: **600x1200mm**  
Surface: **Gr!tCER**  
Thickness: **9mm**  
Random: **6**




←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







## Earlin Crema

Size: **600x1200mm**

Surface: **Gr!tCER**

Thickness: **9mm**

Random: **6**



←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°







Earlin Grey

Size: **600x1200mm**  
Surface: **GritCER**  
Thickness: **9mm**  
Random: **6**

←  
Back to  
Index

CLICK FOR  
VIRTUAL  
360°





TECHNICAL SPECIFICATIONS

GLAZED VITRIFIED TILES

CHARACTERISTICS	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	PORTOCER VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length	ISO-10545-2	±0.6%	±0.2%
Deviation in Thickness	ISO-10545-2	±5%	±4%
Straightness of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Breaking Strength	ISO-10545-11	>1300 N	>1800 N
Flexural Strength (Modulus of Rupture)	ISO-10545-4	>35 N/mm2	>40 N/mm2
Mohs Hardness	EN-101	Depends on the product	Min 3 (SilkenCER)
			Min 4 (PoliCER/PoliCER Glid/SilkenCER Glid/VantaCER/VantaCER Glid/GalaCER/GalaCER Gem)
			Min 5 (MattCER/MattCER Glid/MattCER Arc/SoftCER/OmniCER/OmniCER Glid)
			Min 6 (MattCER Echo/GritCER Echo/FlickCER Glid/FlickCER Melt)
			Min 7 (MattCER Melt/GritCER/GritCER Glid/ShapeCER/ShapeCER Glid/ShapeCER Mist/MatryCER)
			Min 8 (GripCER)
Resistance to Surface Abrasion	ISO-10545-7	Depends on the product	PE II (VantaCER/VantaCER Glid/GalaCER/GalaCER Gem)
			PE III (PoliCER/PoliCER Glid/SoftCER/FlickCER Glid/FlickCER Melt/SilkenCER/SilkenCER Glid/OmniCER/OmniCER Glid)
			PE III/IV (MatCER/MattCER Glid/MattCER Echo/MattCER Melt/MattCER Arc/ShapeCER/ShapeCER Glid
			/ShapeCER Mist/MatryCER/WoodNest)
			PE IV (GritCER Echo)
			PE V (GritCER/GritCER Glid/GripCER)
Skid Resistance (Slip Resistance)	ISO-10545-17	Depends on the product	<R9 (PoliCER/PoliCER Glid/VantaCER/VantaCER Glid/GalaCER/GalaCER Gem/SilkenCER/SilkenCER Glid/SoftCER)
			R9 (MattCER/MattCER Glid/MattCER Echo/MattCER Melt/MattCER Arc/GritCER/GritCER Glid
			/GritCER Echo/FlickCER Glid/FlickCER Melt/ShapeCER/ShapeCER Glid/ShapeCER Mist
			/MatryCER/OmniCER/OmniCER Glid)
			R10 (GripCER)
Frost Resistance	ISO-10545-12	Frost proof	Frost proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
CHEMICAL PROPERTIES			
Resistance to low concentrations of acids and alkalis	ISO-10545-13	No Damage	GLA
Resistance to high concentrations of acids and alkalis	ISO-10545-13	No Damage	GHA
Resistance to household chemicals	ISO-10545-16	No Damage	Minimum GB
Resistance to staining	ISO-10545-14	No Damage	Class 3

PACKING DETAILS

Dimension (mm)	Thickness	No. of Pcs/Box	Coverage Area
600x1200mm	9mm	2 Pcs.	15.5 Sq. ft





8-A National Highway,  
Matel Road, At. Dhuva, Morbi - 363 621, Gujarat, INDIA  
info@portocertiles.com | +91 90817 11150

[www.portocertiles.com](http://www.portocertiles.com)